## Safety Data Sheet

Issue Date 19-May-2014

Revision Date 10-Oct-2019

Version: 6.02

## Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier Product Name Product Code: Synonyms: Pure substance/mixture

Osmocote Pro Hi K 8-9M; 11-10-19+2MgO+TE 87470225EA Osmocote Pro 11-4.4-15.8+1.2Mg+TE Mixture.

1.2. Relevant identified uses of the substance or mixture and uses advised againstRecommended UseFertilizer (PC12). Restricted to professional users.Uses Advised Against:Consumer use [SU 21].

#### 1.3. Details of the supplier of the safety data sheet

Everris International B.V.Nijverheidsweg 1-5; 6422 PD Heerlen (NL); Tel: +31 (0)45-5609100; Fax: +31 (0)45-5609190.

For further information, please contact: INFO-MSDS@EVERRIS.COM.

1.4. Emergency telephone number: IN CASE OF AN EMERGENCY CALL: +44 1235 239 670 (24h).

## Section 2: HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

Mixture

#### Regulation (EC) No 1272/2008 (CLP)

Eye Irritation	Category 1 - (H318)
Chronic aquatic toxicity	Category 3 - (H412)

#### 2.2. Label elements



Signal Word: Danger

## Hazard Statements:

H318 - Causes serious eye damage H412 - Harmful to aquatic life with long lasting effects

Contains Ammonium nitrate;  $NH_4NO_3$ , Calcium phosphate monobasic;  $Ca(H_2PO_4)_2$ 

## **Precautionary Statements:**

P280 - Wear eye protection/ face protection P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician P501 - Dispose of container in accordance with local regulation

#### Other hazards (UN-GHS)

Harmful to aquatic life

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Substances

Chemical Name	EC-No.	CAS No	Weight %	Classification according Regulation (EC) 1272/2008 [CLP]	REACH registration number
Potassium sulphate; K <sub>2</sub> SO <sub>4</sub>	231-915-5	7778-80-5	25 - 40%	Not classified	01-2119489411-34
Ammonium nitrate; NH4NO3	229-347-8	6484-52-2	10 - 25%	Eye Irrit. 2 (H319) Ox. Sol. 3 (H272)	01-2119490981-27
Coating	No EC nr.	PROPRIETAR Y	5 - 10%	Not classified	no data available
Di ammonium phosphate; (NH4)2HPO4	231-987-8	7783-28-0	5 - 10%	Not classified	01-2119490974-22
Calcium phosphate monobasic; Ca(H2PO4)2	231-837-1	7758-23-8	1 - 5%	Eye Dam. 1 (H318)	01-2119490065-39
Urea	200-315-5	57-13-6	1 - 5%	Not classified	01-2119463277-33
Magnesium oxide; MgO	215-171-9	1309-48-4	0.1 - 1%	Not classified	Exempt
Calcium sulphate dihydrate; CaSO4+2H2O	231-900-3	10101-41-4	0.1 - 1%	Not classified	01-2119444918-26
Iron sulphate; FeSO <sub>4</sub> +1H <sub>2</sub> O	231-753-5	7720-78-7	0.1 - 1%	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Acute Tox. 4 (H302)	01-2119513203-57
Iron-EDTA-13; Fe-EDTA	239-802-2	15708-41-5	0.1 - 1%	Not classified	01-2119496228-27
Copper sulphate anhydrous; CuSO₄	231-847-6	7758-98-7	0.1 - 1%	Eye Dam. 1 (H318) Acute Tox. 4 (H302) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	01-2119520566-40
Wax	601-216-3	112945-52-5	0.1 - 1%	Not classified	01-2119488076-30
Manganese sulphate; MnSO4+1H2O	232-08-99	7785-87-7	< 0.1%	STOT RE 2 (H373) Eye Dam. 1 (H318) Aquatic Chronic 2 (H411)	01-2119456624-35
Sodium borate; Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub>	215-540-4	1330-43-4	< 0.1%	Eye Irrit. 2 (H319) Repr. 1B (H360FD)	01-2119490790-32
Calcium fluoride; CaF2	232-188-7	7789-75-5	< 0.1%	Not classified	Exempt
Zinc sulphate mono hydrate; ZnSO4+1H <sub>2</sub> O	231-793-3	7446-19-7	< 0.1%	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	01-2119474684-27
Sodium molybdate; Na <sub>2</sub> MoO <sub>4</sub>	231-551-7	7631-95-0	< 0.1%	Not classified	01-2119489495-21

Component	SVHC candidates
Sodium borate; Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub>	Present
1330-43-4 ( < 0.1% )	

Full text of H- and EUH-phrases: see section 16

## Section 4: FIRST AID MEASURES

## 4.1. Description of first aid measures

General Advice:	First aid measures should be executed by trained personnel only.
Inhalation	Dusty conditions are unlikely if product is used as intended. However, if prolonged inhalation of dust occurs, remove casualty to fresh air. If symptoms persist, call a physician.
Skin Contact:	If a person feels unwell or symptoms of skin irritation appear, consult a physician. Rinse with plenty of water.

#### Eye Contact:

Rinse eyes with water as a precaution. If eye irritation persists, consult a specialist.

Ingestion:

If conscious, drink plenty of water. Do NOT induce vomiting. Rinse mouth. Consult a physician if necessary.

## 4.2. Most important symptoms and effects, both acute and delayed

None under normal processing

4.3. Indication of any immediate medical attention and special treatment needed

None under normal processing.

## Section 5: FIRE FIGHTING MEASURES

## 5.1. Extinguishing media

Suitable Extinguishing Media:

Coordinate fire extinguishing measures to fire in surrounding area.

Unsuitable Extinguishing Media:

High volume water jet.

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

#### 5.3. Advice for firefighters

Use extinguishing agent suitable for type of surrounding fire. In the event of fire and/or explosion do not breathe fumes. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions:Avoid dust formation. Sweep-up to prevent slipping hazard.For Emergency Responders:Use personal protection recommended in Section 8.

#### 6.2. Environmental precautions

Prevent product from entering drains. Do not contaminate surface water.

#### 6.3. Methods and material for containment and cleaning up

Methods for Containment:Prevent further leakage or spillage if safe to do so.Methods for Cleanup:Shovel or sweep up.

## 6.4. Reference to other sections

§ 8, 12, 13.

## Section 7: HANDLING AND STORAGE

## 7.1. Precautions for safe handling

General hygiene considerations:

Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. When using, do not eat, drink or smoke.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures/storage conditions:

Keep away from heat and sources of ignition. Keep away from food, drink and animal feeding stuffs. For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used packaging should be closed well. Keep at temperatures between 0 °C and 40 °C.

Store in original container. Store in a closed container. 13

Fertilizer; www.everris.com; Read and follow label instructions Mixture. Not required.

Packaging Materials: LGK (Germany)

## 7.3. Specific end use(s)

Specific use(s) Exposure scenario

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

Potassium sulphate; K2SO4         Bulgaria - OEL- TWAs       10.0 mg/m³ TWA         Latvia - OEL - TWAs       10 mg/m³ TWA         Ammonium nitrate; NH4NO3       10 mg/m³ TWA	
Ammonium nitrate; NH4NO3	
Australia N.A.	
Czech Republic OEL 10.0 mg/m³ TWA	
Di ammonium phosphate; (NH4)2HPO4	
Latvia - OEL - TWAs 6 mg/m <sup>3</sup> TWA (listed under Ammophos)	
Calcium phosphate monobasic; Ca(H2PO4)2	
Latvia - OEL - TWAs 10 mg/m <sup>3</sup> TWA	
Urea	
Bulgaria - OEL- TWAs 10.0 mg/m <sup>3</sup> TWA	
Latvia - OEL - TWAs 10 mg/m <sup>3</sup> TWA	
Magnesium oxide; MgO	
Austria STEL 10 mg/m <sup>3</sup>	
TWA: 5 mg/m <sup>3</sup>	
Australia 10 mg/m³ TWA fume	
Belgium - 8 Hr TWA 10 mg/m <sup>3</sup>	
Bulgaria - OEL- TWAs 10.0 mg/m <sup>3</sup> TWA	
Czech Republic OEL 5 mg/m³ TWA	
Denmark TWA: 6 mg/m <sup>3</sup>	
FR - OEL - 8h VMEs         TWA: 10 mg/m <sup>3</sup>	
Hungary - OEL - TWAs 6 mg/m <sup>3</sup> TWA	
Iceland - OEL - 8 Hour 6 mg/m <sup>3</sup> TWA Mg	
Ireland TWA: 4 mg/m <sup>3</sup>	
STEL: 10 mg/m <sup>3</sup>	
Korea - ISHA - OEL - TWAs 10 mg/m <sup>3</sup> TWA (Serial No. 277)	
Malaysia 10 mg/m³ TWA (fume)	
Norway TWA: 10 mg/m <sup>3</sup>	
STEL: 20 mg/m <sup>3</sup>	
Poland TWA: 10 mg/m <sup>3</sup>	
Portugal TWA: 10 mg/m <sup>3</sup>	
Romania - OEL - TWAs         5 mg/m³ TWA (fume)           Spain - Valores Limite Ambientales - VLE         TWA: 10 mg/m³	
Singapore - OEL:PELs         10 mg/m³ PEL           Switzerland         TWA: 3 mg/m³	
UK EH40 WEL (8h) 10 mg/m <sup>3</sup>	
Calcium sulphate dihydrate; CaSO4+2H2O	
Belgium - 8 Hr TWA 10 mg/m <sup>3</sup> TWA	
Portugal TWA: 10 mg/m <sup>3</sup>	
Spain - Valores Limite Ambientales - VLE TWA: 10 mg/m <sup>3</sup>	
Switzerland TWA: 10 mg/m	
UK EH40 WEL (8h) 10 mg/m <sup>3</sup> TWA (Inhalable)	
4 mg/m <sup>3</sup> TWA (Respirable)	
Iron sulphate; FeSO4+1H2O	
Belgium - 8 Hr TWA 1 mg/m <sup>3</sup>	
Denmark TWA: 1 mg/m <sup>3</sup>	
Finland TWA: 1 mg/m <sup>3</sup>	
Ireland TWA: 1 mg/m <sup>3</sup>	
STEL: 2 mg/m <sup>3</sup>	
Norway TWA: 1 mg/m <sup>3</sup>	
STEL: 2 mg/m <sup>3</sup>	
Portugal TWA: 1 mg/m <sup>3</sup>	
Spain - Valores Limite Ambientales - VLE TWA: 1 mg/m <sup>3</sup>	
Switzerland TWA: 1 mg/m <sup>3</sup>	
UK EH40 WEL (8h) LTEL (8 hr TWA) 1 mg/m <sup>3</sup>	
STEL (15 min) 2mg/m <sup>3</sup>	
Iron-EDTA-13; Fe-EDTA	
Denmark TWA: 1 mg/m <sup>3</sup>	
Finland TWA: 1 mg/m <sup>3</sup>	

Dertural	
Portugal Spain - Valores Limite Ambientales - VLE	TWA: 1 mg/m <sup>3</sup>
Spain - valores Limite Ambientales - vLE	TWA: 1 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>
UK EH40 WEL (8h)	1 mg/m³ TWA
Copper sulphate anhydrous; CuSO4	
Austria	STEL 4 mg/m <sup>3</sup>
	TWA: 1 mg/m <sup>3</sup>
Australia	N.A.
Finland	TWA: 0.02 mg/m <sup>3</sup>
Poland	TWA: 0.2 mg/m <sup>3</sup>
Russia TWA	0.5 mg/m³ TWA 1258
Switzerland	STEL: 0.2 mg/m <sup>3</sup>
Wax	TWA: 0.1 mg/m <sup>3</sup>
Austria	TWA: 4 mg/m <sup>3</sup>
Manganese sulphate; MnSO4+1H2O	TWO & HINGHI
Austria	STEL 2 mg/m <sup>3</sup>
	TWA: 0.5 mg/m <sup>3</sup>
Australia	0.2 mg/m <sup>3</sup>
Belgium - 8 Hr TWA	0.2 mg/m <sup>3</sup>
Denmark	TWA: 0.2 mg/m <sup>3</sup>
Finland	TWA: 0.02 mg/m <sup>3</sup> TWA: 0.2 mg/m <sup>3</sup>
Ireland	TWA: 0.2 mg/m <sup>3</sup>
Japan	STEL: 0.6 mg/m <sup>3</sup> 0.2 mg/m <sup>3</sup> OEL Mn
NL MAC - TWA:	STEL: 0.05 mg/m <sup>3</sup>
	TWA: 0.2 mg/m <sup>3</sup>
Norway	TWA: 0.1 mg/m <sup>3</sup>
-	STEL: 0.1 ppm
Poland	TWA: 0.05 mg/m <sup>3</sup>
Portugal	TWA: 0.2 mg/m <sup>3</sup>
Spain - Valores Limite Ambientales - VLE	TWA: 0.2 mg/m <sup>3</sup>
Switzerland	TWA: 0.05 mg/m <sup>3</sup> TWA: 0.5 mg/m <sup>3</sup>
UK EH40 WEL (8h)	5 mg/m <sup>3</sup>
Sodium borate; Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub>	5 mg/m
Australia	1 mg/m³ TWA
Belgium - 8 Hr TWA	2 mg/m <sup>3</sup> TWA borate
Denmark	TWA: 1 mg/m <sup>3</sup>
FR - OEL - 8h VMEs	TWA: 1 mg/m <sup>3</sup>
Iceland - OEL - 8 Hour	1 mg/m³ TWA
Ireland	TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>
Korea - ISHA - OEL - TWAs	1 mg/m <sup>3</sup> TWA (anhydrous, Serial No. 244)
Malaysia	1 mg/m <sup>3</sup> TWA
Norway	TWA: 1 mg/m <sup>3</sup>
	STEL: 2 mg/m <sup>3</sup>
Portugal	STEL: 6 mg/m <sup>3</sup>
	TWA: 2 mg/m <sup>3</sup>
Spain - Valores Limite Ambientales - VLE	STEL: 6 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup>
Singapore - OEL:PELs	1 mg/m³ PEL
Switzerland	STEL: 0.8 mg/m <sup>3</sup>
UK EH40 WEL (8h)	1 mg/m <sup>3</sup> TWA
Calcium fluoride; CaF2	
Denmark	TWA: 2.5 mg/m <sup>3</sup>
Ireland	TWA: 2.5 mg/m <sup>3</sup>
	STEL: 7.5 mg/m <sup>3</sup>
Latvia - OEL - TWAs	0.5 mg/m <sup>3</sup> TWA (as F, listed under Hydrofluoric acid salts)
Poland	TWA: 2 mg/m <sup>3</sup>
Portugal Romania - OEL - TWAs	TWA: 2.5 mg/m³           1 mg/m³ TWA
Russia TWA	0.5 mg/m <sup>3</sup> TWA 1104
Sodium molybdate; Na2MoO4	
Austria	STEL 10 mg/m <sup>3</sup>
	TWA: 5 mg/m <sup>3</sup>
Czech Republic OEL	5 mg/m³ TWA
	3 mg/m + W/

Denmark	TWA: 5 mg/m <sup>3</sup>
Finland	TWA: 0.5 mg/m³
FR - OEL - 8h VMEs	TWA: 5 mg/m <sup>3</sup>
	STEL: 10 mg/m <sup>3</sup>
Ireland	TWA: 10 mg/m <sup>3</sup>
	STEL: 30 mg/m <sup>3</sup>
Norway	TWA: 5 mg/m <sup>3</sup>
	STEL: 10 mg/m <sup>3</sup>
Poland	STEL: 10 mg/m <sup>3</sup>
	TWA: 4 mg/m <sup>3</sup>
Portugal	TWA: 0.5 mg/m <sup>3</sup>
Spain - Valores Limite Ambientales - VLE	TWA: 0.5 mg/m <sup>3</sup>
Switzerland	TWA: 5 mg/m <sup>3</sup>

## Derived No Effect Level (DNEL)

Component	Oral	Dermal	Inhalation
Potassium sulphate; K <sub>2</sub> SO <sub>4</sub> 7778-80-5 (25 - 40%)		21.3 mg/kg bw/day	37.6 mg/m <sup>3</sup>
Ammonium nitrate; NH4NO3 6484-52-2 (10 - 25%)	36 mg/m <sup>3</sup>	5.12 mg/kg bw/day	8.9 mg/m <sup>3</sup>
Urea 57-13-6 (1 - 5%)		580 mg/kg bw/day	292 mg/m <sup>3</sup>
Manganese sulphate; MnSO <sub>4</sub> +1H <sub>2</sub> O 7785-87-7 ( < 0.1% )	37.6 mg/m <sup>3</sup>	0.004 mg/kg bw/day	0.2 mg/m <sup>3</sup>
Zinc sulphate mono hydrate; ZnSO4+1H2O 7446-19-7 ( < 0.1% )		8.3 mg/kg bw/day	1 mg/m <sup>3</sup>

## Predicted No Effect Concentration (PNEC)

No data available

Component	Fresh Water	Freshwater sediment	Sea Water	Sea sediment	Soil	Impact on Sewage Treatment
Potassium sulphate; K <sub>2</sub> SO <sub>4</sub> 7778-80-5 ( 25 - 40% )	0.68 mg/l		0.068 mg/l			10 mg/l
Ammonium nitrate; NH4NO3 6484-52-2 ( 10 - 25% )						18 mg/l
Urea 57-13-6(1 - 5%)	0.47 mg/l		0.047 mg/l			
Copper sulphate anhydrous; CuSO <sub>4</sub> 7758-98-7 (0.1 - 1%)	7.8 μg/l	87 mg/kg	5.2 μg/l	676 mg/kg	65 mg/kg	230 µg/l
Manganese sulphate; MnSO4+1H2O 7785-87-7 ( < 0.1% )	0.013 mg/l	0.011 mg/kg	0 mg/l	0.001 mg/kg	25.1 mg/kg	25.1 mg/kg
Zinc sulphate mono hydrate; ZnSO4+1H2O 7446-19-7 ( < 0.1% )	20.6 µg/l		6.1 µg/l	56.5 mg/kg	35.6 mg/kg	100 µg/l

## 8.2. Exposure controls

 Personal protective equipment
 Wear eye/face protection

 Eye/Face Protection
 Wear eye/face protection

 Hand protection
 Gloves. Nitrile rubber (0.26 mm). Break through time. > 8 h.

 Respiratory Protection
 Not required; except in case of aerosol formation. In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit

 Skin and body protection:
 Lightweight protective clothing

 Hygiene Measures:
 Follow good housekeeping practices. When using, do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties

Physical State:	Solid
Appearance:	Granules
Color:	Greenish, blue.
Odor:	None
Bulk density:	900 - 1100 kg/m³
Melting Point/Freezing Point:	No data available
Boiling Point/Range:	Solid. Not applicable.
Flash Point:	Solid. Not applicable.
Evaporation Rate:	Solid. Not applicable.
Flammability (solid, gas):	Not flammable
Vapor Pressure:	Solid. Not applicable.
Vapour density	Solid. Not applicable.
Relative density	No data available
Water Solubility:	No data available
Solubility(ies)	No data available
Partition Coefficient:	Solid. Not applicable.
Autoignition Temperature:	No data available
Decomposition temperature:	No data available
Explosive Properties:	Doesn't present explosion hazard.
9.2. Other information	
VOC Content (%):	Solid. Not applicable.

## Section 10: STABILITY AND REACTIVITY

## 10.1. Reactivity

Not reactive.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

#### 10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

#### 10.5. Incompatible materials

Keep away from catalysts like derivates of hexavalent chromium and metal halides. Keep away from flammable products (fuels) like charcoal, wood, flour, soot etc.

#### 10.6. Hazardous decomposition products

None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## Section 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological effects

#### **Product Information**

If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS

### Information on the Likely Routes of Exposure (inhalation, ingestion, skin and eye contact):

Inhalation Inhalation of dust in high concentration may cause irritation of respiratory system.

**Eye contact** May cause slight irritation.

## **Skin Contact**

May cause irritation.

#### Ingestion

May cause gastrointestinal discomfort if consumed in large amounts.

## Information on Toxicological Effects

None known Acute Toxicity

Unknown Acute Toxicity:

0% of the mixture consists of ingredient(s) of unknown toxicity.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Potassium sulphate; K <sub>2</sub> SO <sub>4</sub>	= 6600 mg/kg (Rat)		
Ammonium nitrate; NH4NO3	= 2217 mg/kg (Rat)	> 5000 mg/kg	> 88.8 mg/L (Rat)4 h
Di ammonium phosphate; (NH4)2HPO4	> 2000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	
Calcium phosphate monobasic; Ca(H <sub>2</sub> PO <sub>4</sub> ) <sub>2</sub>	= 3986 mg/kg (Rat)	> 2 g/kg (Rabbit)	
Urea	= 8471 mg/kg (Rat)		
Magnesium oxide; MgO	= 3870 mg/kg (Rat)= 3990 mg/kg (Rat)		
Iron sulphate; FeSO <sub>4</sub> +1H <sub>2</sub> O	= 500 mg/kg (Rat)	= 155 mg/kg (Rat)	
Iron-EDTA-13; Fe-EDTA	= 5 g/kg (Rat)> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	> 2.05 g/m³ (Rat)4 h
Copper sulphate anhydrous; CuSO4	= 300 mg/kg (Rat)	= 1000 mg/kg (Rabbit)	
Wax	= 3160 mg/kg (Rat)		
Manganese sulphate; MnSO <sub>4</sub> +1H <sub>2</sub> O	= 2125 mg/kg (Rat)		> 4.98 mg/L (Rat) 4h
Sodium borate; Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub>	= 2660 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2 mg/m <sup>3</sup> (Rat) 4 h
Calcium fluoride; CaF <sub>2</sub>	= 4250 mg/kg (Rat)		
Sodium molybdate; Na <sub>2</sub> MoO <sub>4</sub>	= 4233 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 2080 mg/m3 (Rat) 4 h

## Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure:

If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS

Serious eye damage/eye irritation	Classification based on individual ingredients of the mixture.
Respiratory or skin sensitization	Classification based on individual ingredients of the mixture.
Germ Cell Mutagenicity	Classification based on individual ingredients of the mixture.
Carcinogenicity	Classification based on individual ingredients of the mixture.
Reproductive Toxicity	Classification based on individual ingredients of the mixture.
STOT - Single Exposure	Classification based on individual ingredients of the mixture.
STOT - Repeated Exposure	Classification based on individual ingredients of the mixture.
Aspiration Hazard	Classification based on individual ingredients of the mixture.

## Section 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity Ecotoxicity Unknown Aquatic Toxicity

Should not be released into the environment

8% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Chemical Name Al	Igae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Potassium sulphate; K <sub>2</sub> SO <sub>4</sub>	2900: 72 h Desmodesmus bspicatus mg/L EC50	653: 96 h Lepomis macrochirus mg/L LC50 3550: 96 h Lepomis	-	890: 48 h Daphnia magna mg/L EC50

		macrochirus mg/L LC50 static 510 - 880: 96 h Pimephales promelas		
		mg/L LC50 static		
Ammonium nitrate;	-	65 - 85: 48 h Cyprinus	-	-
NH4NO3		carpio mg/L LC50		
		semi-static		
Di ammonium phosphate;	-	26.5: 96 h Oncorhynchus	-	-
(NH4)2HPO4		mykiss mg/L LC50 24.8 -		
		29.4: 96 h Oncorhynchus		
		mykiss mg/L LC50		
		flow-through 33: 96 h		
		Pimephales promelas		
		mg/L LC50 static 3.3: 96		
		h Pimephales promelas		
		mg/L LC50		
Urea	> 10000: 192 h	16200 - 18300: 96 h	-	3910: 48 h Daphnia
	Scenedesmus	Poecilia reticulata mg/L		magna mg/L EC50 Static
	quadricauda mg/L EC50	LC50		10000: 24 h Daphnia
				magna Straus mg/L
				EC50
Iron sulphate;	-	925: 96 h Poecilia	-	152: 48 h Daphnia
FeSO <sub>4</sub> +1H <sub>2</sub> O		reticulata mg/L LC50		magna mg/L EC50 6.15 -
		static 0.56: 96 h Cyprinus		9.26: 48 h Daphnia
		carpio mg/L LC50		magna mg/L EC50 Static
		semi-static		
Copper sulphate	-	0.1: 96 h Oncorhynchus	-	0.024: 48 h Daphnia
anhydrous; CuSO4		mykiss mg/L LC50		magna mg/L EC50
Sodium borate; Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub>	158: 96 h Desmodesmus	340: 96 h Limanda	-	1085 - 1402: 48 h
	subspicatus mg/L	limanda mg/L LC50		Daphnia magna mg/L LC50

# 12.2. Persistence and degradability Persistence and Degradability:

No persistent or cumulative effects were observed.

#### 12.3. Bioaccumulative potential **Bioaccumulation:**

Does not bioaccumulate.

Chemical Name	LOGPOW
Ammonium nitrate; NH4NO3	-3.1
Urea	-1.59
12.4. Mobility in soil	No data available.

## 12.5. PBT and vPvB assessment

## 12.6. Other adverse effects

Section 13: DISPOSAL CONSIDERATIONS

No data available.

No data available.

13.1. Waste treatment methods	
Disposal of Wastes:	Disposal should be in accordance with applicable regional, national and local laws and
	regulations.
Contaminated Packaging:	Do not reuse container.
Other Information	Use up product completely. Packaging material is industrial waste.

## Section 14: TRANSPORT INFORMATION

## IMO / IMDG 14.1

UN-No: 14.2	Not regulated	
Proper shipping name:	Not regulated	
14.3_	hot rogalatou	
Hazard Class:	Not regulated	
<u>14.4</u>		
Packing group:	Not regulated	
14.5_ Chemical Name	IMDG - Marine Pollutants	
Copper sulphate anhydrous; CuSO <sub>4</sub>	IMDG regulated marine pollutant (Listed in the index,	
7758-98-7 (0.1 - 1%)	listed under Copper sulphate, anhydrous, hydrates and	
	solution)	
Marine Pollutant:	No information available	
<u>14.6</u>		
Special Provisions	None	
<u>14.7</u>	I. No data available	
Bulk transport according Annex II of MARPOL and IBC Cod		
ADR/RID		
14.1		
UN-No:	Not regulated	
14.2		
Proper shipping name:	Not regulated	
14.3_ Hazard Class:	Not regulated	
14.4	Not regulated	
Packing group:	Not regulated	
14.5	·	
Environmental Hazard	Not regulated	
<u>14.6</u>	None	
Special Provisions	None	
ΙΑΤΑ		
14.1		
UN-No:	Not regulated	
<u>14.2</u>		
Proper shipping name: 14.3	Not regulated	
14.3 Hazard Class:	Not regulated	
14.4	Not logalatou	
Packing group:	Not regulated	
14.5	-	
Environmental Hazard	Not regulated	
<u>14.6</u>	Nere	
Special Provisions	None	

## Section 15: REGULATORY INFORMATION

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## <u>Belgium</u>

Component	Belgium - Major Accidents - Qualifying Quantities for Safety Reporting	Belgium - Major Accidents - Qualifying Quantities for Accident Prevention
Ammonium nitrate; NH4NO3	2500 tonne (technical grade; (a) this applies	350 tonne
6484-52-2 ( 10 - 25% )	to Ammonium nitrate in which the Nitrogen	
	content as a result of Ammonium nitrate is (i	
	between 24.5% and 28% by weight and	
	which contain <=0.4% total combustible or	
	(ii) >28% by weight and which contain	
	<=0.2% combustible substances (b) aqueou	5
	Ammonium nitrate solutions in which the	

by we	entration of Ammonium nitrate is >80% eight)
Denmark	No data available
France ICPE	Not regulated
<u>Germany</u> LGK (Germany) Water Endangering Class (WGK): Gefahrstoffverordnung (Germany) TRGS 511	13 1 (Everris classification) Not applied
Component	German WGK Section
Potassium sulphate; K <sub>2</sub> SO <sub>4</sub>	
7778-80-5 ( 25 - 40% )	
Ammonium nitrate; NH4NO3	1
6484-52-2 ( 10 - 25% )	
Coating	3
PROPRIETARY (5 - 10%)	Ŭ
Di ammonium phosphate; (NH4)2HPO4	1
7783-28-0 ( 5 - 10% )	
Calcium phosphate monobasic;	class 1
Ca(H <sub>2</sub> PO <sub>4</sub> ) <sub>2</sub>	
7758-23-8 (1 - 5%)	
Urea	1
57-13-6 (1-5%)	
Magnesium oxide; MgO	1
1309-48-4 (0.1 - 1%)	
Calcium sulphate dihydrate; CaSO4+2H2O	1
10101-41-4 ( 0.1 - 1% )	
Iron sulphate; FeSO4+1H2O	1
7720-78-7 ( 0.1 - 1% )	
Iron-EDTA-13; Fe-EDTA	2
15708-41-5 ( 0.1 - 1% )	
Copper sulphate anhydrous; CuSO4	2
7758-98-7 (0.1 - 1%)	
Wax	3
112945-52-5 ( 0.1 - 1% )	
Manganese sulphate; MnSO4+1H2O	2
7785-87-7 ( < 0.1% )	
Sodium borate; Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub>	1
1330-43-4 ( < 0.1% )	
Calcium fluoride; CaF2	1
7789-75-5 ( < 0.1% )	
Zinc sulphate mono hydrate; ZnSO4+1H2O	3
7446-19-7 ( < 0.1% )	
Sodium molybdate; Na2MoO4	1
7631-95-0 ( < 0.1% )	

	EU - Explosives Precursors Marketing and Use (98/2013) - Substances Subject to	EU - REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous
	Suspicious Transactions Reporting	Substances
Ammonium nitrate; NH₄NO₃ 6484-52-2(10-25%)	Present (in concentration of 16% by weight of Nitrogen in relation to Ammonium nitrate or higher)	Use restricted. See item 58. (Conditions of restrictions 27 June 2010)
Sodium borate; Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub> 1330-43-4 ( < 0.1% )		Use restricted. See item 30.

Component	EU - REACH (1907/2006) - Article 59(1) - Candidate List of	
	Substances for Eventual Inclusion in Annex XIV	
Sodium borate; Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub>	Reason for inclusion Toxic for reproduction, Article 57c (215-540-4)	
1330-43-4 ( < 0.1% )		

<u>15.2 Chemical safety assessment</u> Substance(s) usage is covered according to Reach regulation 1907/2006 Take note of Dir. 98/24/EC on the protection of the health and safety of workers from risks related to chemical agents at work

Chemical Name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
Ammonium nitrate; NH4NO3	Use restricted. See item 58.	
Sodium borate; Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub>	Use restricted. See item 30.	
Chemical Name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
	350	2500

## **Section 16: OTHER INFORMATION**

## Full text of H-Statements referred to under sections 2 and 3

- H360FD - May damage fertility. May damage the unborn child

- H319 - Causes serious eye irritation

Ammonium nitrate; NH4NO3

- H272 May intensify fire; oxidizer
- H302 Harmful if swallowed
- H318 Causes serious eye damage
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H315 Causes skin irritation

- H373 - May cause damage to the kidneys/ liver/ eyes/ brain/ respiratory system/ central nervous system through prolonged or

repeated exposure in contact with skin

- H411 - Toxic to aquatic life with long lasting effects

## Key or legend to abbreviations and acronyms used in the safety data sheet

RID: Regulations Concerning the International Transport of Dan	gerous Goods by Rail
ICAO: International Civil Aviation Organization	
ADR: European Agreement concerning the International Carriag	e of Dangerous Goods by Road
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonized System of Classification and Labelin	
EINECS: European Inventory of Existing Commercial Chemical	
CAS: Chemical Abstracts Service (division of the American Che	emical Society)
PNEC: Predicted No Effect Concentration	
DNEL: Derived No-Effect Level	
REACh: Registration, Evaluation, Authorization of Chemicals	
CLP: EU-GHS; Classification, Labelling and Packaging	
OEL: Occupational Exposure Limit	
TWA: Time Weighted Average	
ATE: Acute Toxicity Estimate	
EUH phrase: CLP (EU) specific hazard statement	
LD50: Lethal dose, 50%.	
LC50: Lethal concentration, 50%.	
SVHC: Substance of Very High Concern.	
Classification procedure	Calculation method
	<ul> <li>Expert judgment and weight of evidence determination</li> </ul>
Key literature references and sources for data	According to EC Regulation 1907/2006 (Reach), Regulation EU
	No. 2015/830. Regulation (EC) No 1272/2008 (CLP).
Prepared by	Regulatory Affairs Department (INFO-MSDS@EVERRIS.COM)
Issue Date	19-May-2014
Restrictions on use	Restricted to professional users
Reason for revision	*** Indicates changes since the last revision. This version

replaces all previous versions

This information contained herein is, to the best of Everris' knowledge and belief, accurate and reliable as of the date of preparation of this document. However, no warranty or guarantee, express or implied, is made as to the accuracy or reliability, and Everris shall not be liable for any loss or damage arising out of the use thereof. No authorization is given or implied to use any patented invention without a license. In addition, Everris shall not be liable for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product.