

Version Revision Date: 7.0 11.01.2018 SDS Number: S00028750756

This version replaces all previous versions.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

| | : | PRIMO MAXX II |
|-----------------------------|---|---------------|
| Design code | : | A19238C |
| Product Registration number | : | MAPP 17509 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| Use of the Sub- | : | Plant growth regulator |
|-----------------|---|------------------------|
| stance/Mixture | | |

1.3 Details of the supplier of the safety data sheet

| Company | : | Syngenta UK Limited CPC4, Capital Park Fulbourn, Cambridge CB21 5XE United Kingdom |
|--|---|---|
| Telephone | : | +44 (0) 1223 883400 |
| Telefax | : | +44 (0) 1223 882195 |
| E-mail address of person responsible for the SDS | : | customer.services@syngenta.com |

1.4 Emergency telephone number

Emergency telephone : +44 1484 538444 number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

| Classification (REGULATION (EC) No 1272 | /2008) |
|---|--|
| Acute toxicity, Category 4 | |
| | H332: Harmful if inhaled. |
| Skin sensitisation, Category 1 | H317: May cause an allergic skin reaction. |
| Chronic aquatic toxicity, Category 2 | H411: Toxic to aquatic life with long lasting effects. |



| Version | Revision Date: | 5 |
|---------|----------------|---|
| 7.0 | 11.01.2018 | 5 |

SDS Number: S00028750756

This version replaces all previous versions.

2.2 Label elements

| Labelling (REGULATION (EC) No 1272/2008) | | | | |
|--|---|---|--|--|
| Hazard pictograms | : | | | |
| Signal word | : | Warning | | |
| Hazard statements | : | H317 May cause an allergic skin reaction.H332 Harmful if inhaled.H411 Toxic to aquatic life with long lasting effects. | | |
| Supplemental Hazard Statements | : | EUH401 To avoid risks to human health and the environment, comply with the instructions for use. | | |
| Precautionary statements | : | P102 Keep out of reach of children. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing. P391 Collect spillage. Prevention: P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P280 Wear protective gloves. Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. P362 + P364 Take off contaminated clothing and wash it before reuse. Disposal: P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty triple rinsed clean containers which can be disposed of as non-hazardous waste. | | |

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative tive and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

| Chemical name | CAS-No. EC-No. Index-No. | Classification | Concentration (% w/w) |
|---------------|--------------------------------|----------------|--------------------------|
|---------------|--------------------------------|----------------|--------------------------|



PRIMO MAXX II Version Revision Date

7.0

Revision Date: 11.01.2018

SDS Number: S00028750756 This version replaces all previous versions.

| | Registration number | | |
|--|--|---|--------------|
| trinexapac-ethyl | 95266-40-3 | Aquatic Chronic 1; H410 | >= 10 - < 20 |
| calcium dodecylbenzene sulpho- nate | 26264-06-2 247-557-8 01-2119560592-37 | Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412 | >= 3 - < 10 |
| 2-methylpropan-1-ol | 78-83-1 201-148-0 603-108-00-1 01-2119484609-23 | Flam. Liq. 3; H226 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H336 STOT SE 3; H335 | >= 3 - < 10 |
| Substances with a workplace expo | sure limit : | · | |
| (2-methoxymethylethoxy)propanol | 34590-94-8 252-104-2 01-2119450011-60 | | >= 30 - < 50 |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

| General advice | : | Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment. |
|----------------------------|------|--|
| If inhaled | : | Move the victim to fresh air. If breathing is irregular or stopped, administer artificial respira- tion. Keep patient warm and at rest. Call a physician or poison control centre immediately. |
| In case of skin contact | : | Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use. |
| In case of eye contact | : | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required. |
| If swallowed | : | If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting. |
| Most important symptoms ar | ad / | offects, both acute and delayed |

4.2 Most important symptoms and effects, both acute and delayed

| Symptoms | : | Nonspecific |
|----------|---|--------------------------------|
| | | No symptoms known or expected. |



| Version | Revision Date: |
|---------|----------------|
| 7.0 | 11.01.2018 |

SDS Number: S00028750756

This version replaces all previous versions.

4.3 Indication of any immediate medical attention and special treatment needed Treatment 2 There is no specific antidote available. Treat symptomatically. **SECTION 5: Firefighting measures** 5.1 Extinguishing media Suitable extinguishing media : Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Extinguishing media - large fires Alcohol-resistant foam Unsuitable extinguishing Do not use a solid water stream as it may scatter and spread media fire. 5.2 Special hazards arising from the substance or mixture Specific hazards during fire-As the product contains combustible organic components, fire 5 fighting will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health. Flash back possible over considerable distance. 5.3 Advice for firefighters Special protective equipment : Wear full protective clothing and self-contained breathing apfor firefighters paratus. Further information Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

| Personal precautions | : | Refer to protective measures listed in sections 7 and 8. |
|-------------------------------|---|--|
| 6.2 Environmental precautions | | |
| Environmental precautions | : | Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities. |

6.3 Methods and material for containment and cleaning up

| Methods for cleaning up | : | Contain spillage, and then collect with non-combustible ab- |
|-------------------------|---|--|
| | | sorbent material, (e.g. sand, earth, diatomaceous earth, ver- |
| | | miculite) and place in container for disposal according to local |
| | | / national regulations (see section 13). |



| Version | Revision Date: |
|---------|----------------|
| 7.0 | 11.01.2018 |

SDS Number: S00028750756

This version replaces all previous versions.

Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents. Retain and dispose of contaminated wash water.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

| Advice on safe handling | No special protective measures against fire required. Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8. |
|-------------------------|---|
|-------------------------|---|

7.2 Conditions for safe storage, including any incompatibilities

| areas and containers ly closed in a dry | ge conditions required. Keep containers tight- , cool and well-ventilated place. Keep out of dren. Keep away from food, drink and animal |
|---|--|
|---|--|

7.3 Specific end use(s)

Specific use(s)

: For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| cupational Exposure | Limits | | | | |
|--|---|----------------------------------|--------------------------------|------------|--|
| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis | |
| (2- methoxymeth- ylethoxy)propanol | 34590-94-8 | TWA | 50 ppm 308 mg/m3 | 2000/39/EC | |
| Further information | Identifies the | possibility of signification | ant uptake through the skin, I | ndicative | |
| | 34590-94-8 | TWA | 50 ppm 308 mg/m3 | GB EH40 | |
| Further information | Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used | | | | |
| trinexapac-ethyl | 95266-40-3 | TWA | 5 mg/m3 | Syngenta | |
| 2-methylpropan-1- ol | 78-83-1 | TWA | 50 ppm 154 mg/m3 | GB EH40 | |
| | 78-83-1 | STEL | 75 ppm 231 mg/m3 | GB EH40 | |



Version Revision Date: 7.0 11.01.2018 SDS Number: S00028750756 This version replaces all previous versions.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name | End Use | Exposure routes | Potential health ef- fects | Value |
|---------------------|-----------|-----------------|---|-----------|
| 2-methylpropan-1-ol | Workers | Inhalation | Long-term systemic effects, Long-term local effects | 310 mg/m3 |
| | Consumers | Inhalation | Long-term systemic effects, Long-term local effects | 55 mg/m3 |
| | Consumers | Oral | Long-term systemic effects, Long-term local effects | 25 mg/kg |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name | Environmental Compartment | Value |
|---------------------|---------------------------|--------------|
| 2-methylpropan-1-ol | Fresh water | 0.4 mg/l |
| | Sewage treatment plant | 10 mg/l |
| | Soil | 0.0699 mg/kg |
| | Marine sediment | 0.152 mg/kg |
| | Fresh water sediment | 1.52 mg/kg |
| | Marine water | 0.04 mg/l |

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

| Eye protection | : | No special protective equipment required. |
|----------------|---|---|
| | | |

Hand protection

| Material Break through time Glove thickness | - | Nitrile rubber > 480 min 0.5 mm |
|---|---|--|
| Remarks | : | Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local condi- tions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. |



| Version 7.0 | Revision Date: 11.01.2018 | SDS Number: S00028750756 | This version replaces all previous versions. |
|----------------|------------------------------|---|--|
| | | | protective gloves have to satisfy the specifica- rective 89/686/EEC and the standard EN 374 t. |
| Skin a | and body protection | tration and an cific work-plac | wash contaminated clothing before re-use. opriate: |
| Resp | iratory protection | limit they mus Suitable respi Respirator wit The filter class imum expecte (gas/vapour/a dling the prod | s are facing concentrations above the exposure t use appropriate certified respirators. ratory equipment: h a particle filter (EN 143) s for the respirator must be suitable for the max- d contaminant concentration erosol/particulates) that may arise when han- uct. If this concentration is exceeded, self- athing apparatus must be used. |
| Filter | type | : Particulates ty | rpe (P) |
| Prote | ective measures | over the use o | chnical measures should always have priority of personal protective equipment. og personal protective equipment, seek appro- ional advice. |

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties Appearance

| Colour Odour | : | No data available strong |
|-------------------------------|---|--|
| Odour Threshold | : | No data available |
| рН | : | 2.8 |
| Melting point/range | : | No data available |
| Boiling point/boiling range | : | No data available |
| Flash point | : | 74 °C Method: Pensky-Martens closed cup |
| Evaporation rate | : | No data available |
| Flammability (solid, gas) | : | No data available |
| Upper explosion limit / Upper | : | No data available |

: clear



ΔΡΙΜΟ ΜΑΧΧ ΙΙ

| Version 7.0 | n Revision Date: 11.01.2018 | SDS Number: This version replaces all previous version S00028750756 | ons. |
|----------------|---|---|------|
| fl | ammability limit | | |
| | ower explosion limit / Lower ammability limit | : No data available | |
| V | /apour pressure | : Na data available | |
| F | Relative vapour density | No data available : No data available | |
| C | Density | : 1.027 g/cm3 (20 °C) | |
| So | olubility(ies) Solubility in other solvents | : No data available | |
| | artition coefficient: n- ctanol/water | : No data available | |
| A | uto-ignition temperature | : 340 °C | |
| D | ecomposition temperature | : No data available | |
| | scosity ity, dynamic | | |
| | | : 98 mPa.s (20 °C) | |
| Ex | xplosive properties | : No data available | |
| 0 | xidizing properties | : The substance or mixture is not classified as oxidizing. | |
| 9.2 Otl | her information | | |
| S | urface tension | : 30.5 mN/m | |
| SECT | ION 10: Stability and rea | ictivity | |
| 10.1 R | eactivity | | |
| N | one reasonably foreseeable | | |
| | hemical stability table under normal conditior | S. | |
| 10.3 P | ossibility of hazardous rea | ctions | |
| Hazaro | dous reactions | : No dangerous reaction known under conditions of normal | use. |
| | onditions to avoid | | |
| Condit | ions to avoid | : No decomposition if used as directed. | |

10.5 Incompatible materials

Materials to avoid

: None known.



PRIMO MAXX II Version Revision Date: SDS Number: This version replaces all previous versions. 7.0 11.01.2018 S00028750756 **10.6 Hazardous decomposition products** Hazardous decomposition : No hazardous decomposition products are known. products **SECTION 11: Toxicological information** 11.1 Information on toxicological effects Information on likely routes of exposure Ingestion 1 Inhalation Skin contact Eve contact Acute toxicity Product: Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg Acute inhalation toxicity LC50 (Rat, male and female): 2.85 - 5.06 mg/l • Exposure time: 4 h Test atmosphere: dust/mist Acute dermal toxicity LD50 (Rat, male and female): > 5,000 mg/kg : Assessment: The substance or mixture has no acute dermal toxicity **Components:** trinexapac-ethyl: Acute oral toxicity LD50 (Rat, male and female): 4,460 mg/kg LC50 (Rat, male and female): > 5.69 mg/l Acute inhalation toxicity Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Acute dermal toxicity LD50 (Rat, male and female): > 4,000 mg/kg : Assessment: The substance or mixture has no acute dermal toxicity 2-methylpropan-1-ol: Acute oral toxicity LD50 (Rat): 2,830 - 3,350 mg/kg : (2-methoxymethylethoxy)propanol: Acute inhalation toxicity LC50 (Rat): 3.35 mg/l :



PRIMO MAXX II Version Revision Date: SDS Number: This version replaces all previous versions. 7.0 11.01.2018 S00028750756 Exposure time: 7 h Test atmosphere: dust/mist Acute dermal toxicity LD50 Dermal (Rabbit): 9,510 mg/kg : Skin corrosion/irritation Product: Species: Rabbit Result: No skin irritation **Components:** trinexapac-ethyl: Species: Rabbit Result: No skin irritation calcium dodecylbenzene sulphonate: Result: Irritating to skin. 2-methylpropan-1-ol: Result: Irritating to skin. Serious eye damage/eye irritation Product: Species: Rabbit Result: No eye irritation Components: trinexapac-ethyl: Species: Rabbit Result: No eye irritation calcium dodecylbenzene sulphonate: Result: Risk of serious damage to eyes. 2-methylpropan-1-ol: Result: Risk of serious damage to eyes. Respiratory or skin sensitisation Product: Test Type: mouse lymphoma cells Species: Mouse Result: May cause sensitisation by skin contact.



VersionRevision Date:7.011.01.2018

SDS Number: S00028750756 This version replaces all previous versions.

Components:

trinexapac-ethyl:

Test Type: mouse lymphoma cells Species: Mouse Result: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Components:

trinexapac-ethyl:

Germ cell mutagenicity- As- : Animal testing did not show any mutagenic effects. sessment

(2-methoxymethylethoxy)propanol:

Germ cell mutagenicity- As- : In vitro tests did not show mutagenic effects sessment

Carcinogenicity

Components:

trinexapac-ethyl:

Carcinogenicity - Assess- : No evidence of carcinogenicity in animal studies. ment

Reproductive toxicity

Components:

trinexapac-ethyl:

Reproductive toxicity - As- : No toxicity to reproduction sessment

(2-methoxymethylethoxy)propanol:

Reproductive toxicity - As- : Animal testing did not show any effects on foetal developsessment ment.

STOT - single exposure

Components:

2-methylpropan-1-ol:

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

Repeated dose toxicity

Components:

trinexapac-ethyl:

Remarks: No adverse effect has been observed in chronic toxicity tests.



Version Revision Date: 7.0 11.01.2018 SDS Number: S00028750756

This version replaces all previous versions.

| SECTION 12: Ecological information | | | |
|---|---|--|--|
| 12.1 Toxicity | | | |
| Product: Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h | |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h | |
| Toxicity to algae | : | EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h | |
| Components: trinexapac-ethyl: | | | |
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 68 mg/l Exposure time: 96 h | |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 142 mg/l Exposure time: 48 h | |
| | | LC50 (Americamysis): 6.5 mg/l Exposure time: 96 h | |
| Toxicity to algae | : | ErC50 (Pseudokirchneriella subcapitata (green algae)): 24.5 mg/l Exposure time: 96 h | |
| | | ErC50 (Myriophyllum spicatum (Eurasian watermilfoil)): 1.2 mg/l Exposure time: 14 d | |
| | | EC10 (Myriophyllum spicatum (Eurasian watermilfoil)): 0.011 mg/l Exposure time: 14 d | |
| | | NOEC (Myriophyllum spicatum (Eurasian watermilfoil)): 0.025 mg/l Exposure time: 14 d | |
| Toxicity to microorganisms | : | EC50 (activated sludge): > 100 mg/l Exposure time: 3 h | |
| Toxicity to fish (Chronic tox- icity) | : | NOEC: 0.41 mg/l Exposure time: 35 d Species: Pimephales promelas (fathead minnow) | |
| Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity) | : | NOEC: 2.4 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) | |



| Versio 7.0 | n Revision Date: 11.01.2018 | SDS Number: This version replaces all previous versions S00028750756 |
|----------------------|--|---|
| | -Factor (Chronic aquatic xicity) | : 1 |
| E | cotoxicology Assessment | |
| A | cute aquatic toxicity | : Toxic to aquatic life. |
| C | hronic aquatic toxicity | : Very toxic to aquatic life with long lasting effects. |
| calciu | m dodecylbenzene sulpho | inate: |
| E | cotoxicology Assessment | |
| C | hronic aquatic toxicity | : Harmful to aquatic life with long lasting effects. |
| То | hylpropan-1-ol: exicity to daphnia and other quatic invertebrates | : NOEC : 20 mg/l Exposure time: 21 d Test Type: semi-static test |
| To ac | hoxymethylethoxy)propar oxicity to daphnia and other quatic invertebrates (Chron- toxicity) | : NOEC: > 0.5 mg/l |
| | cotoxicology Assessment hronic aquatic toxicity | : This product has no known ecotoxicological effects. |
| 12.2 P | ersistence and degradabil | ity |
| trinexa | omponents: apac-ethyl: µradability | |
| Diodeg | ladability | : Result: Not readily biodegradable. |
| St | ability in water | : Degradation half life: 3.9 - 5.5 d Remarks: Product is not persistent. |
| (2 | -methoxymethylethoxy)pr | opanol: |
| Biodeg | ıradability | : Result: Readily biodegradable. Biodegradation: 75 % Exposure time: 28 d |
| 12.3 B | ioaccumulative potential | |
| <u>Co</u> trinexa | omponents: apac-ethyl: umulation | |
| | | : Remarks: Does not bioaccumulate. |
| Pa | artition coefficient: n- | : log Pow: -2.1 (25 °C) |
| | | 13 / 19 |



| PRIMC Version 7.0 | MAXX II Revision Date: 11.01.2018 | | lumber: 8750756 | This version replaces all previous versions. |
|--|--|---------------------|------------------------------------|--|
| octanc | ol/water | | | |
| | | log | Pow: -0.29 (2 | 25 °C) |
| | | log | Pow: 1.5 (25 | °C) |
| 12.4 Mobil | ity in soil | | | |
| trinexapac Distrib | onents: -ethyl: ution among environ- I compartments | : Re | marks: Moder | ately mobile in soils |
| Stabili | ty in soil | Pe | | < 0.2 d pation: 50 % (DT50) ct is not persistent. |
| 12.5 Resul Product: Assessmer | ts of PBT and vPvB a | : Th to l ver | is substance/n pe either persi | nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of |
| <u>Comp</u> trinexapac Assessmer | - | lati | ng and toxic (I | s not considered to be persistent, bioaccumu- PBT) This substance is not considered to be nd very bioaccumulating (vPvB) |
| 2-met Assessmer | h ylpropan-1-ol: nt | lati | ng and toxic (I | s not considered to be persistent, bioaccumu- PBT) This substance is not considered to be nd very bioaccumulating (vPvB) |
| (2-me Assessmer | t hoxymethylethoxy)p nt | : Th lati | is substance is ng and toxic (I | s not considered to be persistent, bioaccumu- PBT) This substance is not considered to be nd very bioaccumulating (vPvB) |
| 12.6 Other No data ava | adverse effects ailable | | | |

SECTION 13: Disposal considerations



| Version 7.0 | Revision Date: 11.01.2018 | SDS Number: S0002875075 | This version replaces all previous versions | | | |
|------------------------|-------------------------------|--|---|--|--|--|
| 13.1 Wast | e treatment method | 6 | | | | |
| Product | | cal or used Do not disp Where pos tion. If recycling | Do not contaminate ponds, waterways or ditches with chemical or used container. Do not dispose of waste into sewer. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. | | | |
| Contaminated packaging | | Triple rinse Empty con dling site fe | Empty remaining contents. Triple rinse containers. Empty containers should be taken to an approved waste hadling site for recycling or disposal. Do not re-use empty containers. | | | |
| Wast | e Code | • | packagings ackaging containing residues of or contaminated by substances | | | |
| SECTION 14.1 UN n | I 14: Transport info umber | ormation | | | | |
| ADN | | : UN 3082 | | | | |

| ADN | : | UN 3082 |
|---------------------------------|---|--|
| ADR | : | UN 3082 |
| RID | : | UN 3082 |
| IMDG | : | UN 3082 |
| ΙΑΤΑ | : | UN 3082 |
| 14.2 UN proper shipping name | | |
| ADN | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRINEXAPAC-ETHYL) |
| ADR | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRINEXAPAC-ETHYL) |
| RID | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRINEXAPAC-ETHYL) |
| IMDG | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| | | (TRINEXAPAC-ETHYL) |
| ΙΑΤΑ | : | Environmentally hazardous substance, liquid, n.o.s. (TRINEXAPAC-ETHYL) |
| 14.3 Transport hazard class(es) | | |
| ADN | : | 9 |
| ADR | : | 9 |

according to Regulation (EC) No. 1907/2006



PRIMO MAXX II

| Version 7.0 | Revision Date: 11.01.2018 | SDS Number: S00028750756 | This version replaces all previous version |
|------------------------|---|---|--|
| RID | | : 9 | |
| | ~ | | |
| IMDO | | : 9 | |
| | | : 9 | |
| 4.4 Pack | king group | | |
| Class | ing group sification Code ard Identification Number | : III : M6 : 90 : 9 | |
| Class Haza Labe | ing group sification Code ard Identification Number | : III : M6 : 90 : 9 : (-) | |
| Class | ing group sification Code ard Identification Number Is | : III : M6 : 90 : 9 | |
| Labe | ing group | : III : 9 : F-A, S-F | |
| Pack aircra Pack | ing instruction (LQ) ing group | : 964 : Y964 : III : Miscellaneous | |
| IATA Pack | (Passenger) ing instruction (passen- ircraft) | : 964 | |
| Pack | ing instruction (LQ) ing group | : Y964 : III : Miscellaneous | |
| 4.5 Envi | ronmental hazards | | |
| ADN Envir | onmentally hazardous | : yes | |
| ADR Envir | onmentally hazardous | : yes | |
| RID Envir | onmentally hazardous | : yes | |
| IMDO Marir | G ne pollutant | : yes | |



| Version 7.0 | Revision Date: 11.01.2018 | SDS Number: S00028750756 | This version replaces all previous versions. |
|-----------------------------|---|-----------------------------|--|
| | Passenger) pollutant | : yes | |
| | Cargo) e pollutant | : yes | |
| Not ap 14.7 Trans | al precautions for u plicable port in bulk accord plicable for product a | ng to Annex II of Mar | pol and the IBC Code |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

| REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). | | Not applicable Not applicable |
|---|------|----------------------------------|
| Regulation (EC) No 1005/2009 on substances that deplete the ozone layer | : | Not applicable |
| Regulation (EC) No 850/2004 on persistent organic pol- lutants | : | Not applicable |
| Seveso III: Directive 2012/18/EU of the European Parlian | nent | t and of the Council |

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

| | | Quantity 1 | Quantity 2 |
|----|---------------|------------|------------|
| E2 | ENVIRONMENTAL | 200 t | 500 t |
| | HAZARDS | | |

Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Use plant protection products safely. Always read the label and product information before use.

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information Full text of H-Statements

| H226 | : Flammable liquid and vapour. |
|------|--------------------------------|
| H315 | : Causes skin irritation. |



| Version 7.0 | Revision Date: 11.01.2018 | - | OS Number: 00028750756 | This version replaces all previous versions. |
|--------------------------------------|------------------------------|-------|------------------------------------|--|
| H318 H335 H336 H410 H412 | | : | May cause drow Very toxic to aq | eye damage. iratory irritation. vsiness or dizziness. uatic life with long lasting effects. ttic life with long lasting effects. |
| Full te | xt of other abbrevia | tions | | |
| Aquatio | c Chronic | : | Chronic aquatic | toxicity |
| Eye Dam. | | : | Serious eye dar | nage |
| Flam. Liq. | | : | Flammable liqu | ds |
| Skin Iri | rit. | : | Skin irritation | |
| STOT | SE | : | Specific target of | organ toxicity - single exposure |
| 2000/3 | • | | | ssion Directive 2000/39/EC establishing a first occupational exposure limit values |
| GB EH | 40 | : | | - Workplace Exposure Limits |
| 2000/3 | 9/EC / TWA | : | Limit Value - eig | ht hours |
| GB EH | 40 / TWA | : | Long-term expo | sure limit (8-hour TWA reference period) |
| GB EH | 40 / STEL | : | Short-term expo | osure limit (15-minute reference period) |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information Classification of the mixture:

Classification procedure:

Acute Tox. 4

Based on product data or assessment



| Version 7.0 | Revision Date: 11.01.2018 | SDS Number: S00028750756 | This version replaces all previous versions. |
|-------------------|------------------------------|-----------------------------|--|
| Skin | Sens. 1 | H317 | Based on product data or assessment |
| Aquatic Chronic 2 | | H411 | Calculation method |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN