



# ReduClean

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Issue date: 01/01/2022 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : ReduClean  
UFI : W300-80VX-700T-C8GP

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use  
Industrial/Professional use spec : Industrial  
For professional use only  
Use of the substance/mixture : Detergent to clean removable greenhouses coatings.

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Lumiforte EMEA B.V.  
Geerstraat 8  
5111 PS Baarle-Nassau  
Netherlands  
T +31 (0)1 35 07 53 99  
[safety@lumiforte.com](mailto:safety@lumiforte.com) - [www.lumiforte.com](http://www.lumiforte.com)

##### Manufacturer

Lumiforte EMEA SAS  
1 Rue Gaston Monmousseau  
38130 Echirolles  
France  
T +33 (0)4 76 23 20 54  
[safety@lumiforte.com](mailto:safety@lumiforte.com) - [www.lumiforte.com](http://www.lumiforte.com)

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	0870 243 2241	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290  
Skin corrosion/irritation, Category 1, Sub-Category 1A H314  
Full text of H and EUH statements: see section 16

##### Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

##### Hazard pictograms (CLP)



GHS05

Signal word (CLP) : Danger  
Contains : sodium hydroxide; caustic soda

# ReduClean

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard statements (CLP)	: H290 - May be corrosive to metals. H314 - Causes severe skin burns and eye damage.
Precautionary statements (CLP)	: P260 - Do not breathe vapours, mist, spray. P264 - Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work thoroughly after handling. P280 - Wear protective gloves, protective clothing, face protection, eye protection. P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium dodecylbenzenesulfonate	CAS-No.: 25155-30-0 EC-No.: 246-680-4	1-2.5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
sodium hydroxide; caustic soda substance with national workplace exposure limit(s) (GB)	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892-27	0.5-2	Skin Corr. 1A, H314
Sodium p-cumenesulphonate	CAS-No.: 15763-76-5 EC-No.: 239-854-6 REACH-no: 01-2119489411-37	1-2.5	Eye Irrit. 2, H319

Full text of H and EUH statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Assure fresh air breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. Wash with plenty of water/... Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Rinse opened eye for several minutes under running water. Then consult doctor. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Call a physician immediately.
First-aid measures after ingestion	: If swallowed, rinse mouth with water (only if the person is conscious). Drink plenty of water. Get medical advice/attention. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Do NOT induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Skin irritation. Symptoms/effects after skin contact. Redness, pain. Causes skin irritation. Burns.
-------------------------------------	---

# ReduClean

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Symptoms/effects after eye contact	: May cause eye irritation. Symptoms/effects after eye contact. Pain. Redness. Blurred vision. Causes serious eye irritation. Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Carbon dioxide (CO2). Foam. Extinguishing powder. Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: High power water jet. Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

### 5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Self-contained breathing apparatus. Protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Provide adequate ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid all contact with skin, eyes, or clothing. Wear suitable protective clothing. Warning! Product may cause floors to be slippery.
<b>6.1.1. For non-emergency personnel</b>	
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.
<b>6.1.2. For emergency responders</b>	
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8 "Exposure controls/personal protection".
Emergency procedures	: Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment. Do not allow uncontrolled leakage of product into the environment. Dilute with a large quantity of water. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment	: Clean up any spills as soon as possible, using an absorbent material to collect it. Use suitable disposal containers.
Methods for cleaning up	: Take up liquid spill into absorbent material. Wash away spilled liquid with plenty of water. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
Other information	: Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

Reference to other sections (8, 13). See Heading 8. Exposure controls and personal protection. For further information refer to section 8 : " Exposure-controls/personal protection".

# ReduClean

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not mix with other chemicals. Do not drink, eat or smoke in the workplace. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
- Hygiene measures : Wash Hands and forearms, Skin thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep container tightly closed. Keep in a cool place. Keep out of frost. Store in original container. Keep only in the original container in a cool well ventilated place. Keep container closed when not in use. Store in corrosive resistant container with a resistant inner liner. Keep only in original container. Store locked up. Store in a well-ventilated place. Keep cool.
- Incompatible products : Acids. Oxidizing agents. Strong bases. Strong acids.
- Incompatible materials : Sources of ignition. Direct sunlight. Metals.
- Packaging materials : Suitable material: Polyethylene. Stainless steel. Unsuitable materials: Tin. Lead. Copper (Cu). Avoid aluminium, magnesium and zinc.

#### 7.3. Specific end use(s)

No specific measures are necessary.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

sodium hydroxide; caustic soda (1310-73-2)	
Local name	Sodium hydroxide
WEL TWA (OEL TWA) [1]	2 mg/m³
WEL STEL (OEL STEL)	2 mg/m³
Remark	EH40/2005
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

##### 8.1.2. Recommended monitoring procedures

No additional information available

##### 8.1.3. Air contaminants formed

No additional information available

##### 8.1.4. DNEL and PNEC

No additional information available

##### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

##### 8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

# ReduClean

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Combined gas/dust mask with filter type B/P2. Corrosionproof clothing. Gloves. Protective goggles. Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and at the end of work. Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Wear eye protection/face protection. Chemical goggles or safety glasses. Safety glasses

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear shoes (boots) of Neoprene. Corrosionproof clothing. Wear suitable protective clothing

##### Hand protection:

Nitrile: penetration time > 480', thickness > 0.35 mm. Chemical resistant PVC gloves (to European standard EN 374 or equivalent). PVC: penetration time > 480', thickness > 0.35 mm; Butylrubber: penetration time > 480', thickness > 0.5 mm; Natural rubber: penetration time > 480', thickness > 0.5 mm. Wear protective gloves.

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

Avoid inhalation of vapours. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Combined gas/dust mask with filter type B/P2. Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### Other information:

Do not get in eyes, on skin, or on clothing. When using do not eat, drink or smoke. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Odour	: characteristic.
Odour threshold	: No data available
pH	: 13
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: not determined
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.1 g/cm <sup>3</sup>
Solubility	: completely soluble.

# ReduClean

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: 1454.545 mm <sup>2</sup> /s
Viscosity, dynamic	: 1600 mPa·s Brookfield LV, spindle 3, 5 rpm, 20°C
Explosive properties	: None.
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

Other properties : None.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reacts with : Acids, ammonium salts, halogenated hydrocarbons, nitrogen compounds.

### 10.2. Chemical stability

Stable under normal conditions. Not established.

### 10.3. Possibility of hazardous reactions

ammonium salts. Reacts with most metals in the presence of moisture, liberating hydrogen, an extremely flammable gas. Not established.

### 10.4. Conditions to avoid

Avoid high temperatures. Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Oxidizing agents. Strong acids. Strong bases. metals.

### 10.6. Hazardous decomposition products

Carbon oxides (CO, CO<sub>2</sub>). Sulphur dioxide, fume. Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Sodium dodecylbenzenesulfonate (25155-30-0)	
LD50 oral rat	438 mg/kg
Sodium p-cumenesulphonate (15763-76-5)	
LD50 oral rat	> 7200 mg/kg

Skin corrosion/irritation	: Causes severe skin burns. pH: 13
Serious eye damage/irritation	: Assumed to cause serious eye damage pH: 13
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified

# ReduClean

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Additional information : Based on available data, the classification criteria are not met

### Sodium dodecylbenzenesulfonate (25155-30-0)

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

### ReduClean

Viscosity, kinematic : 1454.545 mm<sup>2</sup>/s

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

### Sodium dodecylbenzenesulfonate (25155-30-0)

LOEC (acute) : 5.6 mg/l Oncorhynchus kisutch

NOEC (acute) : 3.1 mg/l Oncorhynchus kisutch

### Sodium p-cumenesulphonate (15763-76-5)

EC50 - Crustacea [1] : 100 mg/l

### 12.2. Persistence and degradability

#### ReduClean

Persistence and degradability : Product is biodegradable. Not established.

### 12.3. Bioaccumulative potential

#### ReduClean

Bioaccumulative potential : No indication of bio-accumulation potential. Not established.

### Sodium dodecylbenzenesulfonate (25155-30-0)

BCF - Fish [1] : 0.064 mg/l Lepomis Macrochirus

Bioconcentration factor (BCF REACH) : 220

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

Additional information : Avoid release to the environment.

# ReduClean

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Contaminated packing must be completely emptied and can be re-used following appropriate cleaning. This container is intended only for this product. Containers, or internal liners coming from a container, having contained this product are also considered as hazardous wastes. Empty containers can be dumped according to local legislation.
Ecology - waste materials	: Avoid release to the environment.

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

#### 14.1 UN number

UN-No. (ADR)	: UN 1824
UN-No. (IMDG)	: UN 1824
UN-No. (IATA)	: UN 1824
UN-No. (ADN)	: UN 1824
UN-No. (RID)	: UN 1824

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: SODIUM HYDROXIDE SOLUTION
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable
Transport document description (ADR)	: UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III, (E)
Transport document description (IMDG)	: UN 1824 , 8, III
Transport document description (IATA)	: UN 1824 , 8
Transport document description (ADN)	: UN 1824 , 8
Transport document description (RID)	: UN 1824 , 8

#### 14.3. Transport hazard class(es)

##### ADR

Transport hazard class(es) (ADR)	: 8
Danger labels (ADR)	: 8



##### IMDG

Transport hazard class(es) (IMDG)	: 8
-----------------------------------	-----

##### IATA

Transport hazard class(es) (IATA)	: 8
-----------------------------------	-----

##### ADN

Transport hazard class(es) (ADN)	: 8
----------------------------------	-----

##### RID

Transport hazard class(es) (RID)	: 8
Danger labels (RID)	: 8



# ReduClean

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



### 14.4. Packing group

Packing group (ADR)	: III
Packing group (IMDG)	: III
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable

### 14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR)	: C5
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Hazard identification number (Kemler No.)	: 80
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: 2R

#### Transport by sea

MFAG-No	: 154
---------	-------

#### Air transport

No data available

#### Inland waterway transport

No data available

#### Rail transport

No data available

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

# ReduClean

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this preparation were not carried out

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Indication of changes:

Revision : \*.

Indication of changes			

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration

# ReduClean

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms:	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Purification plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging and in line with the expectations of a professional user.
Other information	: REACH Disclaimer: This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). <b>DISCLAIMER OF LIABILITY</b> The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (SDS), EU

# ReduClean

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

---

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.