

# Elliott's Lawn Feed and Weed Plus Moss Killer

Issue Date: 16-Mar-22

Revision Date: 16-Mar-22

Revision Number: 2

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

### 1.1 Name of Product

Elliott's Lawn Feed and Weed Plus Moss Killer

### 1.2 Use of the Substance/Preparation

Amateur use as herbicide weed killer and moss killer.

### 1.3 Manufacturer/Distributor

Thomas Elliott (Fertilisers)  
Selby Place  
Stanley Industrial Estate  
Skelmersdale  
WN8 8EF  
Tel: 01695 51875  
Email: info@thomas-elliott.co.uk

### 1.4 Emergency Contact

Tel: 01695 51875 (Office Hours)

## 2. HAZARDS IDENTIFICATION

### 2.1 Classification

Classification according to Directive EC 1272/2008 Classification, Labelling and Packaging.

**Physical hazards**

Not Classified

**Health hazards**

Skin Irrit. 2 – H15

Eye Irrit. 2 - H319

**Environmental hazards**

Aquatic Chronic 3 – H412

### 2.2 Label elements

**Pictogram****Signal Word**

Warning

**Hazard statements**

EUH208 Contains 2,4-D (ISO), nickel sulphate. May produce an allergic reaction.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

#### Precautionary statements

P264 Wash contaminated skin thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see medical advice on this label).

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with national regulations.

#### 2.3 Other hazards

Mixture not classed as PBT or vPvB.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

Herbicide weed killer and moss killer containing 10% nitrogen, 2% phosphorus pentoxide, 1.7% potassium oxide, 8% iron, 2.86g/Kg 2,4D, 0.57g/Kg Dicamba, 2.86g/Kg Mecoprop-P

Ingredient	CAS/EC	Classification	% w/w
SSP Single Superphosphate	8011-76-5 232-379-5	Eye irr 2 H319	5-10%

Ingredient	CAS/EC	Classification	% w/w
Iron (II) Sulphate	7720-78-7 231-753-5	Acute tox 4 H302 Skin irr 2 H315 Eye irr 2 H319	10-30%

Ingredient	CAS/EC	Classification	% w/w
2,4-D (ISO)	94-75-7 202-361-1	Acute tox 4 H302 Eye dam 1 H318 Skin sens 1 H317 Aq chronic 2 H411	<1%

Ingredient	CAS/EC	Classification	% w/w
Mecoprop (ISO)	7085-19-0 230-386-8	Acute tox 4 H302 Eye dam 1 H318 Skin sens 1 H317 Aq chronic 2 H411	<1%

Ingredient	CAS/EC	Classification	% w/w
Dicamba (ISO)	1918-00-9 217-635-6	Eye irr 2 H319 Aq chronic 3 H412	<1%

Ingredient	CAS/EC	Classification	% w/w
Nickel Sulphate	7768-81-4 232-104-9 M factor (Acute) =1 M factor (Chronic) = 1	Acute tox 4 H302 Acute tox 4 H332 Skin irr 2 H315 Resp sens 1 H334 Skin sens 1 H317 Muta 2 H341 Carc 1A H350i Repr 1B H360D STOT RE 1 H372 Aq acute 1 H400 Aq chronic 1 H410	<1%

The full text for all Hazard Statements are displayed in Section 16

## 4. FIRST AID MEASURES

### 4.1 Description of First Aid Measures

**Eye contact** – Immediately rinse with clean water. Remove contact lenses, if present and easy to do. Continue rinsing. Continue to rinse for at least 10 minutes. Seek medical attention if symptoms are severe or persist or develop.

**Skin contact** – Rinse immediately with plenty of water. Remove contaminated clothing. Wash all contaminated clothing before re-use. Get medical attention if symptoms are severe or persist after washing.

**Ingestion** – Do not induce vomiting unless under the direction of medical personnel. Get medical attention immediately. Rinse out mouth thoroughly with water and seek medical advice. Give plenty of water to drink.

**Inhalation** – Remove to fresh air and keep comfortable for breathing. Get medical attention if symptoms are severe or persist.

### 4.2 Most important symptoms and effects, both acute and delayed

**Eye Contact:** Causes serious eye irritation. Prolonged or repeated exposure may cause severe irritation.

**Skin Contact:** Skin irritation should not occur when used as recommended. The product is considered to be a low hazard under normal conditions of use.

**Ingestion:** Product is considered to present little hazard by oral exposure.

**Inhalation:** Dust in high concentrations may irritate the respiratory system.

### 4.3 Indication of immediate medical attention and special treatment needed

Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

Non flammable

### 5.1 Extinguishing Media

Use foam, carbon dioxide, dry powder, sand. The mixture is not classified as flammable. As such extinguishing media appropriate for surrounding materials should be chosen.

### 5.2 Special hazards arising from substance or mixture

Thermal decomposition or combustion products may include the following substances:

Irritating gases or vapours.

### 5.3 Advice for firefighters

#### Protective actions during firefighting

Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Control run-off water by containing and keeping it out of sewers and watercourses. Contain and collect extinguishing water. If risk of water pollution occurs, notify appropriate authorities.

#### Special protective equipment for firefighters

Use protective equipment appropriate for surrounding materials. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal Precautions

Avoid inhalation of dust and contact with skin and eyes. Use suitable respiratory protection if ventilation is inadequate. Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Take care as floors and other

surfaces may become slippery.

## 6.2 Environmental precautions

Harmful to aquatic life with long lasting effects. The product is slowly degradable. The product contains substances which are toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment. Avoid discharge into drains and the aquatic environment. Use appropriate containment to avoid environmental contamination. Avoid the spillage or runoff entering drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

## 6.3 Methods and material for containment and cleaning up:

Take care as floors and other surfaces may become slippery. Avoid generation and spreading of dust. Collect spillage with a shovel and broom, or similar and reuse, if possible. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Dispose of contents/container in accordance with national regulations. Do not empty into drains. Collect and dispose of spillage as indicated in Section 13.

# 7. HANDLING & STORAGE

## 7.1 Precautions for Safe Handling

### Usage precautions

Read label before use. Wear appropriate clothing to prevent repeated or prolonged skin contact. Avoid inhalation of dust and contact with skin and eyes.

### Advice on general occupational hygiene

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Wash at the end of each work shift and before eating, smoking and using the toilet.

## 7.2 Conditions for Safe Storage

Store in a dry place. Keep cool. Keep only in the original container. Keep container in a well-ventilated place. Keep out of the reach of children. Keep away from combustible materials. Keep away from heat. Store away from incompatible materials (see Section 10).

## 7.3 Specific end use

Amateur use as herbicide weed killer and moss killer.

# 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

## 8.1 Control parameters

### Sand (Silica Dust respirable), Long-term Exposure Limit (LTEL)

Long-term Exposure Limit (8 hour TWA) WEL	0.1	mg/m <sup>3</sup>
---	-----	-------------------

### Iron (II) Sulphate-0), Long-term Exposure Limit (LTEL)

Long-term Exposure Limit (8 hour TWA) WEL	1.0	mg/m <sup>3</sup>
---	-----	-------------------

### SSP Single Superphosphate (CAS 8011-76-5), Desired No Effect Level (DNEL)

#### Worker

Systemic long-term effects dermal:	17.4	mg/kg/day
Systemic long-term effects inhalative:	3.1	mg/m <sup>3</sup>

#### General Population

Systemic long-term effects dermal:	10.4	mg/kg/day
Systemic long-term effects inhalative:	0.9	mg/m <sup>3</sup>
Systemic long-term effects oral:	2.1	mg/kg/day

**SSP Single Superphosphate (CAS 8011-76-5), Predicted No Effect Concentration (PNEC)**

Fresh water	1.7	mg/L
Marine water	0.17	mg/L
Intermittent release	17	mg/L
STP	10	mg/L

**2,4-D (ISO) (CAS 94-75-7), Desired No Effect Level (DNEL)**

**Worker**

Long-term exposure limit, TWA 8h	10	mg/m <sup>3</sup>
Short-term	20	mg/m <sup>3</sup>

**Mecoprop (ISO) (CAS 7085-19-0), Desired No Effect Level (DNEL)**

**Worker**

Long-term exposure limit, TWA 8h	10	mg/m <sup>3</sup>
Short-term exposure limit	20	mg/m <sup>3</sup>

**8.2 Exposure Controls:**

**Protective equipment**



**Hand protection**

It is recommended that chemical-resistant, impervious gloves are worn. To protect hands from chemicals, gloves should comply with European Standard EN374.

**Eye/face protection**

Wear eye protection. Chemical splash goggles or face shield. Personal protective equipment for eye and face protection should comply with European Standard EN166.

**Engineering controls**

All handling should only take place in well-ventilated areas.

**Clothing**

Wear appropriate clothing to prevent repeated or prolonged skin contact.

**Hygiene measures**

Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

**Respiratory protection**

No specific recommendations

## 9. PHYSICAL & CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties:

Appearance	Beige, dark brown or black granules
Odour	Mild
pH	ca. 3.0 (1.0% dilution in water)
Boiling point	n/a
Melting point	n/a
Flash point	n/a
Flammability	Product is not flammable.
Autoflammability	n/a
Explosivity	n/a
Oxidising properties	n/a
Vapour Pressure	n/a
Relative density	n/a
Bulk density	Pour density: 0.9g/ml, tap density: 0.94g/ml
Solubility	Partially soluble in water.
Decomposition temperature	n/a

### 9.2 Other Information:

None

## 10. STABILITY & REACTIVITY

### 10.1 Reactivity

No test data specifically related to reactivity available for this product or its ingredients.

### 10.2 Stability

Stable when stored in a dry place.

### 10.3 Possibility of hazardous reactions

No potentially hazardous reactions known.

### 10.4 Conditions to Avoid

Extremes of temperature

### 10.5 Incompatible materials

#### Materials to avoid

Water, moisture

### 10.6 Hazardous Decomposition Products

Decomposes at high temperatures producing toxic nitrogen and sulphur oxide fumes.

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on Toxicological Effects

#### Acute toxicity – oral

**Iron Sulphate: EFSA peer review endpoint (EFSA journal 2012; 10 (1): 2521)**

Oral LD50 1,750 mg/kg (rat)

**Dicamba: EFSA peer review endpoint (EFSA journal 2011; 9 (1): 1965)**

Oral LD50 1,581 mg/kg (rat)

**Mecoprop-P: Supplier MSDS**

Oral LD50 775 mg/kg (rat)

**2,4-D Acid: EFSA peer review endpoint (EFSA journal 2014; 12 (9): 3812)**

Oral LD50 >300 & <2,000 mg/kg (rat)

ATE oral (mg/kg)

3,787.88

**Acute toxicity – dermal**

Notes (dermal LD50)

No specific test data are available.

**Acute toxicity – inhalation**

Notes (inhalation LC50)

No specific test data are available.

**Serious eye damage/irritation**

Causes serious eye irritation. In-vitro testing conducted on products with SSP Content <62%, 2015, Result: Reduced classification to Eye Irritant. Test Guideline OECD 438. This result is less severe than the harmonized classification for Super Phosphates as Eye Damage 1 H318.

**Respiratory sensitisation**

No specific test data are available.

**Skin corrosion/irritation**

Based on available data the classification criteria are not met. Not classified for skin irritant as confirmed via study data (OECD439)

**Skin sensitisation**

Not classified for skin sensitisation category 1. Due to the content of 2,4D and its classification as a skin sensitizer, EUH208 is applied.

**Germ cell mutagenicity**

Genotoxicity - in vitro

This substance has no evidence of mutagenic properties.

**Carcinogenicity**

No specific test data are available. There is no evidence that the product can cause cancer.

**Reproductive toxicity**

Reproductive toxicity - fertility

Based on available data the classification criteria are not met.

**Specific target organ toxicity - single exposure**

STOT - single exposure

Not classified as a specific target organ toxicant after a single exposure.

**Specific target organ toxicity - repeated exposure**

STOT - repeated exposure

Not classified as a specific target organ toxicant after repeated exposure.

**Aspiration hazard**

Not anticipated to present an aspiration hazard, based on chemical structure.

**Eye contact**

Causes serious eye irritation.

**Skin contact**

May cause an allergic skin reaction

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Harmful to aquatic life with long lasting effects. Classified as Harmful to aquatic life with lasting effects as part of the products evaluation under regulation 1107/2009.

### 12.2 Persistence and degradability

The product is slowly degradable.

### 12.3 Bioaccumulative potential

Partition coefficient not known.

### 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB

The product does not contain any substances classified as PBT or vPvB.

### 12.6 Other adverse data

Not relevant.

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### General information

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

#### Disposal methods

The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. Only store in correctly labelled containers. Dispose of contents/container in accordance with national regulations. Do not empty into drains.

## 14. TRANSPORT INFORMATION

### 14.1 UN-Number

ADR, IMDG, IATA                      Not applicable

### 14.2 UN proper shipping name

ADR, IMDG, IATA                      Not applicable

### 14.3 Transport hazard class(es)

ADR, IMDG, IATA                      Not applicable

### 14.4 Packaging Group

ADR, IMDG, IATA                      Not applicable

### 14.5 Environmental hazards

Not a marine pollutant

### 14.6 Special precautions for user

None

### 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Applicable for Maritime bulk transport only. Check with carrier.

## 15. REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific to this substance:

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

### 15.2 Chemical Safety Assessment

Not undertaken for this material



## 16. OTHER INFORMATION

### **Text of the hazard statements mentioned in Section 3:**

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains (2,4-dichlorophenoxy) acetic acid, dimethylamine salt. May produce an allergic reaction.

### **Abbreviations and acronyms used in the safety data sheet**

ATE: Acute Toxicity Estimate.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

CAS: Chemical Abstracts Service.

DNEL: Derived No Effect Level.

GHS: Globally Harmonized System.

IATA: International Air Transport Association.

IMDG: International Maritime Dangerous Goods.

ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

LC50: Lethal Concentration to 50 % of a test population.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

PBT: Persistent, Bioaccumulative and Toxic substance.

PNEC: Predicted No Effect Concentration.

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.

SVHC: Substances of Very High Concern.

vPvB: Very Persistent and Very Bioaccumulative.

cATpE: Converted Acute Toxicity Point Estimate.

LOAEC: Lowest Observed Adverse Effect Concentration.

LOAEL: Lowest Observed Adverse Effect Level.

EC50: 50% of maximal Effective Concentration.

NOAEL: No Observed Adverse Effect Level.

NOEC: No Observed Effect Concentration.

LOEC: Lowest Observed Effect Concentration.

DMEL: Derived Minimal Effect Level.

### **Liability**

The product label provides information on the use of the product: do not use otherwise, unless you have assessed any potential hazard involved and the safety measures required. Prepared by Thomas Elliott (Fertilisers), for Health and Safety purposes from the best knowledge available at the time of printing.



# Elliott's Lawn Feed and Weed Plus Moss Killer

Issue Date: 27-Jun-19

Revision Date: 03-Mar-21

Revision Number: 2

## 1. PRODUCT IDENTITY

### 1.1 Name of Product

Elliott's Lawn Feed and Weed Plus Moss Killer

### 1.2 Product Type

A mini-granular fertiliser for the treatment of lawns and fine turf.  
For the control of broadleaved weed species and moss on lawns.  
20kg treats 625m<sup>2</sup>

### 1.3 Product Code

4800

### 1.4 Registration Numbers

MAPP 19064

## 2. PRODUCT CHARACTERISTICS

### 2.1 Form and appearance

Mini-granule (1.0 – 2.5mm)  
Brown/buff/black granules

### 2.2 Use

Spring/summer feed, weed and moss control.  
**FOR USE ONLY AS AN AMATEUR LAWN TREATMENT.**  
Maximum two treatments per year with at least 40 days between applications.  
Treat no later than August.  
For use between May and August.  
**USE PESTICIDES SAFETY/READ THE LABEL.**

### 2.3 Solubility

Partially soluble.  
Fully biodegradable.

### 3. PRODUCT ANALYSIS

#### Fertiliser Analysis

##### COMPOUND FERTILISER WITH IRON 10-2-1.7 UK

Total Nitrogen (N)	10.0 %	
Ammoniacal Nitrogen	8.7 %	
Ureic Nitrogen	1.3 %	
Total Phosphorous Pentoxide (P <sub>2</sub> O <sub>5</sub> )	2.0 %	(0.9 % P)
Of which soluble in water	1.1 %	(0.5 % P)
Total Potassium Oxide (K <sub>2</sub> O)	1.7 %	(1.4 % K)
Iron (Fe) soluble in water	8.0 %	

#### Pesticide Content

Elliott's Lawn Feed and Weed Plus Moss Killer contains 217.3g/Kg Iron Sulphate, 2.86g/Kg 2,4-D, 0.57g/Kg Dicamba, 2.86g/Kg Mecoprop-P

### 4. RECOMMENDED APPLICATION RATES

#### 4.1 When and where to use

Elliott's Lawn Feed and Weed Plus Moss Killer can be used between May and August when grass, moss and weeds are actively growing and soil is moist. Do not apply during drought or freezing conditions. Granules or dust should not be allowed to come into contact with flowers, shrubs, fruit or vegetable plants.

Apply only to established turf. Do not use on new grass for six months. Grass should not be cut 3 days before treatment and not cut again until at least 4 days after treatment. Do not apply when heavy rain is forecast but if no rain falls within 48 hours then water the product into the lawn.

#### 4.2 How to use

Apply where the weeds are actively growing and the soil is moist. The most suitable method of application is where the mechanical granular applicator properly calibrated with the correct dosage rate. Rake vigorously after two weeks to remove dead moss

##### Application by Hand

Mark out areas to be treated. Apply evenly at 32 grams per square metre over the marked area with shaker pack or by hand. It is good practice to wear gloves when using this product although this is not a requirement. Do not apply in windy conditions. Keep off skin and away from eyes. Avoid walking on treated areas until it has rained or product has been watered in. If spilt on paving, concrete, clothing etc., brush off immediately to avoid discolouration. If no rain falls within 48 hours of treatment, irrigate treated area.

##### Application by Spreader

Mark out areas to be treated. Apply evenly at 32 grams per square metre over the marked area with suitably calibrated granular applicator.

##### Spreader Calibration

It is recommended that a calibration exercise, such as given below, be carried out before applying this product.

1. Overlap two large sheets of newspaper and mark out a length of 2 metres on them. Place product in the spreader to be calibrated.
2. For 18" wide distributors apply the product twice over the 2 metre distance.
3. For 12" wide distributors apply the product three times over the marked distance.
4. Sweep up and weigh the quantity of product dispensed to give the quantity of applied over 2 metres.
5. Multiply this figure by 0.5 to give the rate per square metre.
6. Adjust the spreader setting and repeat until the correct rate of application has been achieved.

Note: When using Elliott's Lawn Feed and Weed Plus Moss Killer through drop spreaders, keep the spreader feedplate in the closed position when stationary.

Avoid applications to hard surfaces.

Elliott's Lawn Feed and Weed Plus Moss Killer is not suitable for application through non-adjustable spreaders.

#### 4.3 Further information

The moss will blacken as it dies. Any discolouration of the turf is temporary. Do not re-seed or turf for at least 6 weeks after application. The first four mowings should not be used to mulch cultivated plants unless composted for at least 6 months. Elliott's Lawn Feed and Weed Plus Moss Killer must not be mixed or used with other plant protection products.

Dead moss can be removed by raking or scarify 7-14 days after treatment. Re-treatment may be necessary for heavy moss infestation, or if moss returns. Do not apply more than 2 times in any one season. A 40 day interval is required between applications.

**Elliott's Lawn Feed and Weed Plus Moss Killer is effective against broadleaved weeds of the following species:**

- Common Dandelion (*Taraxacum officinale*)
- Creeping Buttercup (*Ranunculus repens*)
- Creeping Cinquefoil (*Potentilla reptans*)
- Daisy (*Bellis perennis*)
- Greater Plantain (*Plantago major*)
- Lesser Trefoil (*Trifolium dubium*)
- Mouse-ear Chickweed (*Cerastium fontanum* subsp. *Vulgare*)
- Ribwort Plantain (*Plantago lanceolata*)
- Selfheal (*Prunella vulgaris*)
- Thyme-leaved Speedwell (*Veronica serpyllifolia*)
- White Clover (*Trifolium Repens*)
- Bird's Foot Trefoil (*Lotus corniculatus*)

Large or perennial weeds may re-grow. Persistent weeds may require repeated treatments once new growth appears.

#### Control techniques

The key to reducing moss and weeds is to have an effective all-year round management strategy incorporating the use of Elliott's Lawn Feed and Weed Plus Moss Killer.

The following non-chemical techniques can be used to help reduce moss and weeds:

- Ensure the turf is healthy, weed, disease and pest free. This can be helped by fertilisation and regular maintenance.
- Soil aerating of the lawn to help to encourage the free passage of water & nutrients through the soil.
- Raking/scarifying to remove dead mosses and removal of fallen leaf debris to prevent the build-up of fibrous material which encourages weed and moss growth.

If all of these cultural management practices are followed in harmony with applications of Elliott's Lawn Feed and Weed Plus Moss Killer then the reduction of mosses and weeds can be successfully achieved.

## 5. PRECAUTIONS/HELPFUL ADVICE

### 5.1 SAFETY INSTRUCTIONS

#### **Precautions**

Keep children and pets away from treated areas until granules have been watered in.

Avoid accidental spillage onto clothing, paths or other hard surfaces as staining may occur.

Avoid drift onto nearby plants and borders.

#### **Protection during/in use**

WASH HANDS AND EXPOSED SKIN AFTER USE/HANDLING.

If swallowed seek medical advice immediately and show this container or label.

#### **Environmental protection**

DO NOT CONTAMINATE WATER with the product or its container.

Do not empty into drains.

#### **Storage and disposal**

Store in a cool, dry place.

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

KEEP PRODUCT AWAY FROM CHILDREN AND PETS.

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.

*NB. For both human and environmental safety the user should refer to the Material Safety Data Sheet for this product which can be obtained from our website: [www.thomas-elliott.co.uk](http://www.thomas-elliott.co.uk)*

## 6. PACKAGING OPTIONS

#### **Professional Use Sacks**

20kg LDPE Sacks

## 7. STORAGE

Store in a dry place.

Keep container sealed when not in use.

## 8. OTHER INFORMATION

### Manufacturer Address

Thomas Elliott (Fertilisers)  
Selby Place  
Stanley Industrial Estate  
Skelmersdale  
WN8 8EF  
Tel: 01695 51875  
E-mail: [info@thomas-elliott.co.uk](mailto:info@thomas-elliott.co.uk)

### Disclaimer

*Although the information and recommendations set forth herein are presented in good faith and believed to be correct as of the date hereof, Thomas Elliott (Fertiliser makes no representations or warranties as to the completeness or accuracy. Information is supplied upon the condition that the persons receiving the same will make their own determination as to its suitability for their purposes prior to use. Additionally, it is the user's responsibility to verify, in every case, the local legislation related to the use of the product. In no event will Thomas Elliott (Fertiliser be responsible for damages of any nature resulting from the use of or reliance upon information or the product to which information refers. Nothing contained herein is to be construed as a recommendation to use any product, process, equipment or formulation in conflict with any patent and Thomas Elliott (Fertiliser makes no representation or Warranty, express or implied, that the use thereof will not infringe any patent. The typical data set forth herein are based on samples tested and are not guaranteed for all samples or applications. The product specification limits are subject to change. Please contact Thomas Elliott (Fertiliser for the most current data sheet.*